

South Whidbey Parks  
District  
5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## RFQ # TBD

### Bid Price Form:

Item	Description	Unit Price	Qty	Ext. Price
A	Roof replacement according to specifications.	19,859.94	1	19859.94
B	Cost per linear foot for any new fascia needed		TBD	
C	Cost per square foot for decking replacement	\$ 7.00	TBD	
D	Add Alt for replacement of gutters and downspouts in like fashion.			
E				
	Applicable state sales tax (8.8%)			
Total Price -->				21,606.94

Company Name: Valentine Roofing Inc  
Signature: Mark Lynch  
Print Name and Title: Mark Lynch  
Date: 8-7-23

# South Whidbey Parks District

5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## Request for Quote - TBD

*This is not an order.*

**RFQ # TBD - July 17th, 2023**

**Description:** Shingle Re-roofing of the South Whidbey Baseball Facility(5495 Maxwellton Rd, Langley, WA 98260) site with an area of approximately 2,500 sq.ft. Project to include: Removal of existing roofing and proper disposal. Repair/replace any damaged decking, fascia or trim on a unit cost basis. Apply ice and water shield to entire roof(Garland R-mer Seal SA Underlayment or other pre-approved product). Install composition shingles meeting ASTM D 3161 Class F and ASTM D 7158 Class H wind standards, Class A fire resistance, ASTM D3018 D3462 (CertainTeed Landmark, Malarkey Vista or approved alternate) Install drip-edge flashing at all rake/gable edges. Install ridge vent at horizontal ridges. Install new lead boots at electrical mast. Install all new lead pipe boots. clean gutters and downspouts. Contractor responsible for all permitting. Contract completion date to be mutually determined at award of contract. **Work to be completed by November 30th 2023.**

Upon completion, clean all work related debris from site.

**Additional Documents:** Project Manual

**Contact Name:** Tom Fallon, Park Superintendent \_\_\_\_\_

**Phone:** 360-221-7181 \_\_\_\_\_ **Fax:** 360-221-7323 \_\_\_\_\_

**Email:** Parkmaint@whidbey.org \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

### Vendor shall complete the area below:

The undersigned offers and agrees, if this offer is accepted within 30 calendar days from the date received, to furnish all items or services quoted, at the prices set forth in this quotation, within the time specified herein. In the event of a contract award pursuant to this request, performance by the vendor of any or all of the services, or delivery of any or all of the products defined herein, shall constitute acceptance of all terms, conditions and requirements of the resulting agreement.


Company Name: Valentine Roofing  
Address: 400 Industry Dr. License #: 604-983-544 VALENRL 781RW  
City: Tukwila State: WA Zip: 98188  
Email: Mark.Lynch@valentineroof.com Phone: 206 575 7656 Fax: \_\_\_\_\_  
Print Name and Title: Mark Lynch - Sales Estimator  
No Bid [ ] Reason: \_\_\_\_\_

South Whidbey Parks  
District  
5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## RFQ # TBD

### Bid Price Form:

Item	Description	Unit Price	Qty	Ext. Price
A	Roof replacement according to specifications.		1	29,950 <sup>00</sup>
B	Cost per linear foot for any new fascia needed			18 <sup>00</sup>
C	Cost per square foot for decking replacement			1.50
D	Add Alt for replacement of gutters and downspouts in like fashion.			6,750 <sup>00</sup>
E				
	Applicable state sales tax (8.8%)			3,229.60
Total Price -->				39,929.60

Company Name: Fred Meyer Roofing  
Signature:   
Print Name and Title: Fred Meyer - owner  
Date: 7-27-23

# South Whidbey Parks District

5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## Request for Quote - TBD

*This is not an order.*

**RFQ # TBD - July 17th, 2023**

**Description:** Shingle Re-roofing of the South Whidbey Baseball Facility(5495 Maxwellton Rd, Langley, WA 98260) site with an area of approximately 2,500 sq.ft. Project to include: Removal of existing roofing and proper disposal. Repair/replace any damaged decking, fascia or trim on a unit cost basis. Apply ice and water shield to entire roof(Garland R-mer Seal SA Underlayment or other pre-approved product). Install composition shingles meeting ASTM D 3161 Class F and ASTM D 7158 Class H wind standards, Class A fire resistance, ASTM D3018 D3462 (CertainTeed Landmark, Malarkey Vista or approved alternate) Install drip-edge flashing at all rake/gable edges. Install ridge vent at horizontal ridges. Install new lead boots at electrical mast. Install all new lead pipe boots. clean gutters and downspouts. Contractor responsible for all permitting. Contract completion date to be mutually determined at award of contract. **Work to be completed by November 30th 2023.**

Upon completion, clean all work related debris from site.

**Additional Documents:** Project Manual

**Contact Name:** Tom Fallon, Park Superintendent \_\_\_\_\_

**Phone:** 360-221-7181 \_\_\_\_\_ **Fax:** 360-221-7323 \_\_\_\_\_

**Email:** Parkmaint@whidbey.org \_\_\_\_\_

### Vendor shall complete the area below:

The undersigned offers and agrees, if this offer is accepted within 30 calendar days from the date received, to furnish all items or services quoted, at the prices set forth in this quotation, within the time specified herein. In the event of a contract award pursuant to this request, performance by the vendor of any or all of the services, or delivery of any or all of the products defined herein, shall constitute acceptance of all terms, conditions and requirements of the resulting agreement.

Company Name: Fred Meyer Roofing \_\_\_\_\_

Address: 1620 SW 156<sup>th</sup> St. \_\_\_\_\_ License #: \_\_\_\_\_

City: Burien \_\_\_\_\_ State: WA \_\_\_\_\_ Zip: 98146 \_\_\_\_\_

Email: fredmeyerroofing2002@gmail.com \_\_\_\_\_ Phone: (206) 478-3733 \_\_\_\_\_ Fax: \_\_\_\_\_

Print Name and Title: Fred Meyer - owner \_\_\_\_\_

No Bid [ ] Reason: \_\_\_\_\_

South Whidbey Parks  
District  
5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## RFQ # TBD

### Bid Price Form:

Item	Description	Unit Price	Qty	Ext. Price
A	Roof replacement according to specifications.		1	\$30,000.00
B	Cost per linear foot for any new fascia needed	\$30.00		
C	Cost per square foot for decking replacement	\$7.00		
D	Add Alt for replacement of gutters and downspouts in like fashion.			\$7,800.00
E				
	Applicable state sales tax (8.8%)			\$3,326.40
<b>Total Price --&gt;</b>				<b>\$41,126.40</b>

Company Name: Olympic Roofing, LLC  
Signature:   
Print Name and Title: Jennifer Hudson, Office Manager  
Date: 7/28/2023

# South Whidbey Parks District

5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## Request for Quote - TBD

*This is not an order.*

**RFQ # TBD - July 17th, 2023**

---

**Description:** Shingle Re-roofing of the South Whidbey Baseball Facility(5495 Maxwellton Rd, Langley, WA 98260) site with an area of approximately 2,500 sq.ft. Project to include: Removal of existing roofing and proper disposal. Repair/replace any damaged decking, fascia or trim on a unit cost basis. Apply ice and water shield to entire roof(Garland R-mer Seal SA Underlayment or other pre-approved product). Install composition shingles meeting ASTM D 3161 Class F and ASTM D 7158 Class H wind standards, Class A fire resistance, ASTM D3018 D3462 (CertainTeed Landmark, Malarkey Vista or approved alternate) Install drip-edge flashing at all rake/gable edges. Install ridge vent at horizontal ridges. Install new lead boots at electrical mast. Install all new lead pipe boots. clean gutters and downspouts. Contractor responsible for all permitting. Contract completion date to be mutually determined at award of contract.

**Work to be completed by November 30th 2023.**

Upon completion, clean all work related debris from site.

**Additional Documents:** Project Manual

**Contact Name:** Tom Fallon, Park Superintendent \_\_\_\_\_

**Phone:** 360-221-7181 \_\_\_\_\_ **Fax:** 360-221-7323 \_\_\_\_\_

**Email:** Parkmaint@whidbey.org \_\_\_\_\_

---

**Vendor shall complete the area below:**

The undersigned offers and agrees, if this offer is accepted within 30 calendar days from the date received, to furnish all items or services quoted, at the prices set forth in this quotation, within the time specified herein. In the event of a contract award pursuant to this request, performance by the vendor of any or all of the services, or delivery of any or all of the products defined herein, shall constitute acceptance of all terms, conditions and requirements of the resulting agreement.

Company Name: **Olympic Roofing, LLC** \_\_\_\_\_

Address: **1505 S 356th St. Ste 112** \_\_\_\_\_ License #: **OLYMPRL834PQ** \_\_\_\_\_

City: **Federal WaY** \_\_\_\_\_ State: **WA** \_\_\_\_\_ Zip: **98003** \_\_\_\_\_

Email: **JEN@OLYMPICROOFINGLLC.COM** \_\_\_\_\_ Phone: **253-878-5311** \_\_\_\_\_ Fax: \_\_\_\_\_

Print Name and Title: **Jennifer Hudson, Office Manager** \_\_\_\_\_

No Bid [ ] Reason: \_\_\_\_\_

South Whidbey Parks  
District  
5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## RFQ # TBD

### Bid Price Form:

Item	Description	Unit Price	Qty	Ext. Price
A	Roof replacement according to specifications.	\$48,900.00	1	\$48,900.00
B	Cost per linear foot for any new fascia needed		TBD	
C	Cost per square foot for decking replacement	\$10.00	TBD	
D	Add Alt for replacement of gutters and downspouts in like fashion.	\$15,000.00	1	
E				
	Applicable state sales tax (8.8%)			
<b>Total Price --&gt;</b>				

**Company Name:** V&R Sheet Metal DBA V&R Roofing

**Signature:** Robert Gerlach

**Print Name and Title:** Robert Gerlach - Vice President / Chief Estimator

**Date:** 07/27/2023

# South Whidbey Parks District

5475 Maxwelton Road  
Langley, WA 98260  
360-221-7187

## Request for Quote - TBD

*This is not an order.*

**RFQ # TBD - July 17th, 2023**

---

**Description:** Shingle Re-roofing of the South Whidbey Baseball Facility(5495 Maxwelton Rd, Langley, WA 98260) site with an area of approximately 2,500 sq.ft. Project to include: Removal of existing roofing and proper disposal. Repair/replace any damaged decking, fascia or trim on a unit cost basis. Apply ice and water shield to entire roof(Garland R-mer Seal SA Underlayment or other pre-approved product). Install composition shingles meeting ASTM D 3161 Class F and ASTM D 7158 Class H wind standards, Class A fire resistance, ASTM D3018 D3462 (CertainTeed Landmark, Malarkey Vista or approved alternate) Install drip-edge flashing at all rake/gable edges. Install ridge vent at horizontal ridges. Install new lead boots at electrical mast. Install all new lead pipe boots. clean gutters and downspouts. Contractor responsible for all permitting. Contract completion date to be mutually determined at award of contract. **Work to be completed by November 30th 2023.**

Upon completion, clean all work related debris from site.

**Additional Documents:** Project Manual

**Contact Name:** Tom Fallon, Park Superintendent \_\_\_\_\_

**Phone:** 360-221-7181 \_\_\_\_\_ **Fax:** 360-221-7323 \_\_\_\_\_

**Email:** Parkmaint@whidbey.org \_\_\_\_\_

---

### Vendor shall complete the area below:

The undersigned offers and agrees, if this offer is accepted within 30 calendar days from the date received, to furnish all items or services quoted, at the prices set forth in this quotation, within the time specified herein. In the event of a contract award pursuant to this request, performance by the vendor of any or all of the services, or delivery of any or all of the products defined herein, shall constitute acceptance of all terms, conditions and requirements of the resulting agreement.

Company Name: V&R Sheet Metal DBA V&R Roofing

Address: 2920 South Cushman Avenue License #: VRSHEM973KM

City: Tacoma State: Washington Zip: 98409

Email: RobG@VRRoofing.net Phone: 253-576-5291 Fax: 253-328-6877

Print Name and Title: Robert Gerlach - Vice President / Chief Estimator

No Bid [ ] Reason: \_\_\_\_\_




South Whidbey Parks  
District  
5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## RFQ # TBD

### Bid Price Form:

Item	Description	Unit Price	Qty	Ext. Price
A	Roof replacement according to specifications.	\$59,732.00	1	\$59,732.00
B	Cost per linear foot for any new fascia needed	\$13.00	Linear Foot	
C	Cost per square foot for decking replacement	\$11.88	SQ. FT.	
D	Add Alt for replacement of gutters and downspouts in like fashion.	\$26.00	Linear foot	
E				
	Applicable state sales tax (8.8%)			\$5,256.42
<b>Total Price --&gt;</b>				<b>\$64,988.42</b>

**Company Name:** James King Roofing, LLC  
**Signature:**   
**Print Name and Title:** Charles Avery / Estimator  
**Date:** July 27th, 2023

# South Whidbey Parks District

5475 Maxwellton Road  
Langley, WA 98260  
360-221-7187

## Request for Quote - TBD

*This is not an order.*

**RFQ # TBD - July 17th, 2023**

---

**Description:** Shingle Re-roofing of the South Whidbey Baseball Facility(5495 Maxwellton Rd, Langley, WA 98260) site with an area of approximately 2,500 sq.ft. Project to include: Removal of existing roofing and proper disposal. Repair/replace any damaged decking, fascia or trim on a unit cost basis. Apply ice and water shield to entire roof(Garland R-mer Seal SA Underlayment or other pre-approved product). Install composition shingles meeting ASTM D 3161 Class F and ASTM D 7158 Class H wind standards, Class A fire resistance, ASTM D3018 D3462 (CertainTeed Landmark, Malarkey Vista or approved alternate) Install drip-edge flashing at all rake/gable edges. Install ridge vent at horizontal ridges. Install new lead boots at electrical mast. Install all new lead pipe boots. clean gutters and downspouts. Contractor responsible for all permitting. Contract completion date to be mutually determined at award of contract.  
**Work to be completed by November 30th 2023.**

Upon completion, clean all work related debris from site.

**Additional Documents:** Project Manual

**Contact Name:** Tom Fallon, Park Superintendent \_\_\_\_\_

**Phone:** 360-221-7181 \_\_\_\_\_ **Fax:** 360-221-7323 \_\_\_\_\_

**Email:** Parkmaint@whidbey.org \_\_\_\_\_

---

### Vendor shall complete the area below:

The undersigned offers and agrees, if this offer is accepted within 30 calendar days from the date received, to furnish all items or services quoted, at the prices set forth in this quotation, within the time specified herein. In the event of a contract award pursuant to this request, performance by the vendor of any or all of the services, or delivery of any or all of the products defined herein, shall constitute acceptance of all terms, conditions and requirements of the resulting agreement.

Company Name: James King roofing, LLC

Address: 12407 Mukilteo Speedway Suite #155 License #: JAMESKR823NW

City: Mukilteo State: WA Zip: 98087

Email: charlesa@jameskingroofing.com Phone: 425-374-7955 Fax: \_\_\_\_\_

Print Name and Title: Charles Avery / Estimator

No Bid [ ] Reason: \_\_\_\_\_